



CERTIFICATE OF ANALYSIS

PRODUCED: APR 13, 2026

SAMPLE: PLÛR BEYOND MOLLY HEART TABS (INFUSED EDIBLE - TABLET) // CLIENT: ADVANCED MYCOLOGY



BATCH NO.: PASSION FRUIT BEST BY 02/2028 PLÛR 260220
MATRIX: INFUSED EDIBLE - TABLET
SAMPLE ID: TRP-260331-002
RECEIVED ON: MAR 31, 2026
SERVING SIZE: 0.3808 G
PACKAGE SIZE: 3.808 G

COA SUMMARY

AVERAGE TOTAL CONCENTRATION:	58.619 mg/g
AVERAGE TOTAL AMOUNT PER PACKAGE:	223.222 mg
AVERAGE TOTAL AMOUNT PER SERVING:	22.322 mg

TOTALS INCLUDE ALKALOIDS



SYNTHETIC TRYPTAMINE PANEL

ANALYTE	mg/pkg	mg/srv	mg/g	LOD / LOQ (mg/g)
5-MAPB	223.222	22.322	58.619	0.00977 / 0.04883
4-ACETOXY-DET	ND	ND	ND	0.00090 / 0.00897
PSILACETIN (4-ACO-DMT)	ND	ND	ND	0.00091 / 0.00911
4-ACO-MET	ND	ND	ND	0.00092 / 0.00918
4-ACETOXY-MIPT	ND	ND	ND	0.00091 / 0.00909
4-HYDROXY-DET	ND	ND	ND	0.00087 / 0.00875
4-HYDROXY ETHYLPROPYLTRYPTAMINE (4-HO-EPT)	ND	ND	ND	0.00087 / 0.00872
4-HYDROXY METHYLETHYLTRYPTAMINE (4-HO-MET)	ND	ND	ND	0.00259 / 0.01295
4-PROPANOYLOXY-DMT	ND	ND	ND	0.00091 / 0.00910
DIISOPROPYLTRYPTAMINE (DIPT)	ND	ND	ND	0.00094 / 0.00936
DIPROPYLTRYPTAMINE (DPT)	ND	ND	ND	0.00093 / 0.00934
ETHYLPROPYLTRYPTAMINE (EPT)	ND	ND	ND	0.00088 / 0.00880
METHYLETHYLTRYPTAMINE (MET)	ND	ND	ND	0.00088 / 0.00882
DIMETHYLTRYPTAMINE (N,N-DMT)	ND	ND	ND	0.00088 / 0.00885



SCAN TO BUY TESTS

This certificate of analysis is intended for personal use products that do not violate state or local law. Statements of conformity to specifications are made in this report without taking measurement of uncertainty into account. Tryptomics is not licensed by the State of Colorado.

NT = not tested. ND = not detected. LOD = Limit of detection. LOQ = Limit of quantitation

Sample ID: TRP-260331-002

Caleb King, MS
Chief Science Officer,
Tryptomics
Apr 13, 2026


ANALYTE	RESULT 1		RESULT 2		RESULT 3			
	%RSD	MG/SRV (%RSD)	mg/g	mg/srv	mg/g	mg/srv	mg/g	mg/srv
N,N-DMT	-	-	ND	ND	ND	ND	ND	ND
4-ACETOXY DMT	-	-	ND	ND	ND	ND	ND	ND
4-ACETOXY-DET	-	-	ND	ND	ND	ND	ND	ND
4-ACETOXY MET	-	-	ND	ND	ND	ND	ND	ND
4-HYDROXY-DET	-	-	ND	ND	ND	ND	ND	ND
4-ACETOXY MIPT	-	-	ND	ND	ND	ND	ND	ND
4-PROPANOYLOXY DMT	-	-	ND	ND	ND	ND	ND	ND
DIPROPYLTRYPTAMINE (DPT)	-	-	ND	ND	ND	ND	ND	ND
ETHYLPROPYLTRYPTAMINE (EPT)	-	-	ND	ND	ND	ND	ND	ND
METHYLETHYLTRYPTAMINE (MET)	-	-	ND	ND	ND	ND	ND	ND
DIISOPROPYLTRYPTAMINE (DIPT)	-	-	ND	ND	ND	ND	ND	ND
4-HYDROXY ETHYLPROPYLTRYPTAMINE (4-HO-EPT)	-	-	ND	ND	ND	ND	ND	ND
4-HYDROXY METHYLETHYLTRYPTAMINE (4-HO-MET)	-	-	ND	ND	ND	ND	ND	ND
5-MAPB	1.424	0.916	57.765	22.309	59.433	21.943	58.659	22.279



SCAN TO BUY
TESTS

This certificate of analysis is intended for personal use products that do not violate state or local law. Statements of conformity to specifications are made in this report without taking measurement of uncertainty into account. Tryptomics is not licensed by the State of Colorado.
NT = not tested. ND = not detected. LOD = Limit of detection. LOQ = Limit of quantitation

Sample ID: TRP-260331-002



Caleb King, MS
Chief Science Officer,
Tryptomics
Apr 13, 2026