



CERTIFICATE OF ANALYSIS

PRODUCED: MAR 19, 2026

SAMPLE: XÜM METOCIN CHEWABLE TABLETS (INFUSED EDIBLE - TABLET) // CLIENT: ADVANCED MYCOLOGY



BATCH NO.: BERRIES BEST BY 02/2028 XÜM 260225
MATRIX: INFUSED EDIBLE - TABLET
SAMPLE ID: TRP-260316-004
RECEIVED ON: MAR 16, 2026
SERVING SIZE: 0.3909 G
PACKAGE SIZE: 3.9094 G

COA SUMMARY

AVERAGE TOTAL CONCENTRATION:	4.898 mg/g
AVERAGE TOTAL AMOUNT PER PACKAGE:	19.146 mg
AVERAGE TOTAL AMOUNT PER SERVING:	1.915 mg

TOTALS INCLUDE ALKALOIDS



SYNTHETIC TRYPTAMINE PANEL

ANALYTE	mg/pkg	mg/srv	mg/g	LOD / LOQ (mg/g)
4-HYDROXY METHYLETHYLTRYPTAMINE (4-HO-MET)	19.146	1.915	4.898	0.00258 / 0.01291
4-ACETOXY-DET	ND	ND	ND	0.00090 / 0.00900
PSILACETIN (4-ACO-DMT)	ND	ND	ND	0.00091 / 0.00915
4-ACO-MET	ND	ND	ND	0.00092 / 0.00921
4-ACETOXY-MIPT	ND	ND	ND	0.00091 / 0.00913
4-HYDROXY-DET	ND	ND	ND	0.00088 / 0.00878
4-HYDROXY ETHYLPROPYLTRYPTAMINE (4-HO-EPT)	ND	ND	ND	0.00088 / 0.00876
4-PROPANOYLOXY-DMT	ND	ND	ND	0.00091 / 0.00914
DIISOPROPYLTRYPTAMINE (DIPT)	ND	ND	ND	0.00094 / 0.00940
DIPROPYLTRYPTAMINE (DPT)	ND	ND	ND	0.00094 / 0.00938
ETHYLPROPYLTRYPTAMINE (EPT)	ND	ND	ND	0.00088 / 0.00883
METHYLETHYLTRYPTAMINE (MET)	ND	ND	ND	0.00089 / 0.00886
DIMETHYLTRYPTAMINE (N,N-DMT)	ND	ND	ND	0.00089 / 0.00889




SCAN TO BUY TESTS

This certificate of analysis is intended for personal use products that do not violate state or local law. Statements of conformity to specifications are made in this report without taking measurement of uncertainty into account. Tryptomics is not licensed by the State of Colorado.

NT = not tested. ND = not detected. LOD = Limit of detection. LOQ = Limit of quantitation

Sample ID: TRP-260316-004


Caleb King, MS
Chief Science Officer,
Tryptomics
Mar 19, 2026


ANALYTE	RESULT 1		RESULT 2		RESULT 3			
	%RSD	MG/SRV (%RSD)	mg/g	mg/srv	mg/g	mg/srv	mg/g	mg/srv
N,N-DMT	-	-	ND	ND	ND	ND	ND	ND
4-ACETOXY DMT	-	-	ND	ND	ND	ND	ND	ND
4-ACETOXY-DET	-	-	ND	ND	ND	ND	ND	ND
4-ACETOXY MET	-	-	ND	ND	ND	ND	ND	ND
4-HYDROXY-DET	-	-	ND	ND	ND	ND	ND	ND
4-ACETOXY MIPT	-	-	ND	ND	ND	ND	ND	ND
4-PROPANOYLOXY DMT	-	-	ND	ND	ND	ND	ND	ND
DIPROPYLTRYPTAMINE (DPT)	-	-	ND	ND	ND	ND	ND	ND
ETHYLPROPYLTRYPTAMINE (EPT)	-	-	ND	ND	ND	ND	ND	ND
METHYLETHYLTRYPTAMINE (MET)	-	-	ND	ND	ND	ND	ND	ND
DIISOPROPYLTRYPTAMINE (DIPT)	-	-	ND	ND	ND	ND	ND	ND
4-HYDROXY ETHYLPROPYLTRYPTAMINE (4-HO-EPT)	-	-	ND	ND	ND	ND	ND	ND
4-HYDROXY METHYLETHYLTRYPTAMINE (4-HO-MET)	6.366	6.241	5.164	1.986	4.555	1.762	4.973	1.941



SCAN TO BUY
TESTS

This certificate of analysis is intended for personal use products that do not violate state or local law. Statements of conformity to specifications are made in this report without taking measurement of uncertainty into account. Tryptomics is not licensed by the State of Colorado.
NT = not tested. ND = not detected. LOD = Limit of detection. LOQ = Limit of quantitation

Sample ID: TRP-260316-004



Caleb King, MS
Chief Science Officer,
Tryptomics
Mar 19, 2026